



BUILDING PRODUCTS OF CANADA CORP.

FOR OVER 100 YEARS

bpcan.com

ROOFING GUIDE

ARCHITECT & CLASSIC COLLECTIONS WEST



PROUDLY MADE IN CANADA

Product shown: Mystique 42 in 2 Tone Black





100 YEARS

...and still going strong!

PERFORMANCE, INTEGRITY, INNOVATION, QUALITY, SERVICE

As a leader in the building materials industry, Building Products of Canada (BP) has helped build and renovate homes across Canada for over 100 years. Like the pioneers who built our great country, BP's craftsmen and craftswomen honour the national tradition of neighbours helping neighbours each and every day.



■ OUR COMMITMENT: TOTAL QUALITY

Building Products of Canada Corp. is committed to providing quality, value added products and services to its clients.

■ OUR FUNDAMENTAL VALUE: SOCIAL RESPONSIBILITY

■ OUR FOCUS: NURTURING LONG TERM RELATIONSHIPS

THE ARCHITECT COLLECTION

LAMINATE SHINGLES

High-Performance Shingles with an Upscale Look

With its shake-like styling and extraordinary protection, the multi-layer laminate is a stunning architectural shingle. A smart choice for value and return on investment, plus a wide selection of beautiful colours to enhance your home's curb appeal. Our architectural fiberglass laminates include Vanguard 42 IR, Manoir and Mystique 42 with hurricane-resistant Weather-Tite™ technology and limited lifetime warranties.



Product shown: Everest 42 in Cobalt Black

TO ENSURE THE HIGHEST PERFORMANCE IN THE ROUGHEST WEATHER, BP'S

SUPERIOR PROTECTION & BETTER RESISTANCE TO

- 1 WIND BLOW OFF
- 2 WIND-DRIVEN RAIN
- 3 WATER INFILTRATION
- 4 SURFACE UPLIFT



All of BP's laminate shingles feature Weather-Tite™ technology.

THE CLASSIC COLLECTION

3-TAB SHINGLES

A Rich Selection of Colours

For a more traditional look, opt for square-cut, 3-tab shingles. A rich palette of available colours means that there's always a classic BP shingle just right for your budget that will improve your home's curb appeal for years to come. Protect your investment with 25 to 30-year warranties. To provide even more protection, Yukon SB integrates hurricane-resistant Weather-Tite™ technology.



Product shown: Yukon SB in Autumn Brown

LAMINATE & 3-TAB SHINGLES ALL FEATURE WEATHER-TITE™ TECHNOLOGY.

GET DOUBLE PROTECTION FOR YOUR ROOF



BREAKTHROUGH TECHNOLOGY PROTECTS WITH TWO SEALANT BANDS

In the roughest conditions, Weather-Tite™ technology ensures optimal performance. BP's Manoir, Vanguard 42 IR, and Mystique 42 architectural shingles all feature this ground-breaking, patented, hurricane-resistant technology. Providing superior protection with the added-value of an enhanced wind warranty, Weather-Tite™ technology guarantees peace of mind with the ultimate in wind and water protection.

SUPERIOR WIND WARRANTIES

This groundbreaking technology provides such superior protection, we are able to offer even better wind warranties.

	WIND WARRANTIES	
	STANDARD	HIGH WIND
VANGARD 42 IR	180 km/h ▶ 110 mph	220 km/h ▶ 135 mph
MANOIR	180 km/h ▶ 110 mph	220 km/h ▶ 135 mph
MYSTIQUE 42	180 km/h ▶ 110 mph	220 km/h ▶ 135 mph
YUKON SB	115 km/h ▶ 70 mph	130 km/h ▶ 80 mph



VANGARD 42 IR

LIMITED LIFETIME WARRANTY

**CLASS 4 IMPACT-RESISTANT
LAMINATE SHINGLE**

*"The most resistant shingle
ever produced"*

Protect your building from harsher climate, immediately and for the very long term. Vanguard 42 IR is built to live through the worst environmental attacks.

The bold and elegant tones offer curated high-contrast, drifted colors designed to create a stunning look for your home.

Use BP Accu-Ridge or Yukon SB for Hip & Ridge



With



Product colour shown: Autumn Brown



TWILIGHT GREY



AUTUMN BROWN



SHADOW BLACK *Use Yukon SB Shadow Black for Hip & Ridge.

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



SILVER GREY



WEATHERED ROCK



CLASS 4 IMPACT RESISTANCE

VANGARD 42 IR IS MANUFACTURED WITH A PROPRIETARY NEW GENERATION OF POLYMER (SBS) MODIFIED ASPHALT THAT YIELDS OUTSTANDING SHINGLE PERFORMANCE.

The SBS compound increases significantly the granules retention power. This has a direct impact on the life expectancy of the shingles as the granules protect the asphalt from ultra-violet degradation. The polymer modified asphalt has much more resilience to resist freeze-thaw cycles.

The “rubberized” property of the asphalt can be submitted to more stress (contraction / elongation).

Vanguard 42 IR meets UL 2218 Impact Resistance Class 4.

Vanguard 42 IR shingles are backed by BP's Limited Lifetime Warranty

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

MANOIR

LIMITED LIFETIME WARRANTY

ELEGANT SLATE DESIGN
WITH DEEP SHADOW BANDS

*"Superior performance,
distinctive elegance"*

Manoir offers syncopated sizing and a sculpted slate allure. The exposed portion of this full-sized fiberglass laminate shingle offers more coverage than standard shingles.

Choose from seven warm, rustic colours to complement your home's distinctive character.

Use Yukon SB for Hip & Ridge



With



Product colour shown: Silver Grey



AUTUMN BROWN



SUNSET CEDAR



SILVER GREY



TWILIGHT GREY

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



WEATHERED ROCK



BROWN STONE



SHADOW BLACK

**Use Yukon SB Shadow Black for Hip & Ridge.*

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.



MYSTIQUE 42

LIMITED LIFETIME WARRANTY

DISTINGUISH YOUR HOME'S GRACE AND CHARACTER

*"Graceful character,
powerful protection"*

Mystique 42 shingles, uniquely designed with oversized tabs, feature dramatic 3-dimensional shadow bands to create a sharp, slate look, both eye-catching and strikingly elegant.

Choose from a superb palette of vintage colours designed to instantly enhance your home's curb appeal.

Use BP Accu-Ridge or Yukon SB for Hip & Ridge



With



Product colour shown: Slate Black

VINTAGE SELECTION



AUTUMN BROWN



SUNSET CEDAR



SILVER GREY



SEYCHELLES BLUE



WEATHERED ROCK



BOREAL GREEN



MAGENTA RED



SHADOW BLACK

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



EARTH TONE SELECTION



ANTIQUE WOOD



BROWN STONE



BEACHWOOD



TWILIGHT GREY



STONE WOOD



SLATE BLACK



**CLASS 3
IMPACT
RESISTANCE**

MYSTIQUE 42 MEETS THE FM 4473 IMPACT RESISTANCE CLASS 3 REQUIREMENTS.

Mystique 42, built with a SeBS elastomeric compound provides proven FM performance.

On top of enhancing the impact resistance of the shingle, the modified asphalt improves the flexibility of the material, yielding better reaction to freeze-thaw cycles and improves the granules retention that protect the asphalt from UV degradation.

Mystique 42 shingles are backed by BP's Limited Lifetime Warranty

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

YUKON SB

30-YEAR WARRANTY

THE GREAT OUTDOORS
ARE NO MATCH FOR THE
RUGGED YUKON SB

"Handsome style, durable character"

This heavyweight fiberglass, 3-tab shingle, produced with hurricane resistant Weather-Tite™ technology, is strong and durable for extraordinary protection in the toughest weather conditions.

The innovative shadow band creates an eye-catching, chiseled style that complements your choice of any one of the wide selection of colours.

▼
*This shingle may be as Hip & Ridge with
Vanguard 42 IR, Everest 42 and Manoir*



With



Product colour shown: Weathered Rock



SILVER GREY



SUNSET CEDAR



BEACHWOOD



BROWN STONE



WEATHERED ROCK



TWILIGHT GREY



MAGENTA RED



STONE WOOD

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



SEYCHELLES BLUE



ANTIQUE WOOD



SLATE BLACK



AUTUMN BROWN



SHADOW BLACK



BOREAL GREEN

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

BP ACCU-RIDGE

BP ACCU-RIDGE is a four-tab, prescored shingle, manufactured with modified asphalt that enables the easiest and most versatile way of finishing the roofing job.


- No cutting required to install the product
- Can be installed **up to 4 layers thick** for dimensional appeal
- Manufactured with a **SeBS modified asphalt** that makes it more flexible and resilient
- Fits perfectly on its own or over 9" hip and ridge filter vents
- Colours available precisely match selected Vanguard 42 IR, **Manoir** and **Mystique 42** shingles

PRODUCT SPECIFICATIONS	
Shingle dimension	11000 mm x 336 mm (39 3/8" x 13 1/4")
Tab / exposure dimension	249 mm x 149 mm (9 13/16" x 5 5/8")
Shingles / bundle	21
Bundles / pallet	40



BP ACCU-RIDGE can be installed as a single layer hip & ridge or can be stacked to enhance the roofing character. The following chart shows the actual linear coverage related to the number of plies applied:

- 1-ply application 12 linear m (39.4 linear ft.)
- 2-ply application 6 linear m (19.7 linear ft.)
- 3-ply application 4 linear m (13.1 linear ft.)
- 4-ply application 3 linear m (9.9 linear ft.)



AUTUMN BROWN : ■ ●



BEACHWOOD : ●



STONE WOOD : ●




BROWN STONE : ■ ●



TWILIGHT GREY : ■ ●




WEATHERED ROCK : ■ ●




SLATE BLACK : ●



SUNSET CEDAR : ■ ●



SILVER GREY : ■ ●



SHADOW BLACK : ■ ●

■ : MYSTIQUE 42 ● : MANOIR



SPECIFICATIONS

DIMENSIONS (APPROX.)	EXPOSURE	AVERAGE NUMBER OF SHINGLES PER 3 BUNDLE	AVERAGE COVERAGE PER BUNDLE	INSTALLATION	SPEC. COMPLIANCE	WARRANTY PERIOD (YRS)	WIND PROTECTION*
----------------------	----------	---	-----------------------------	--------------	------------------	-----------------------	------------------

THE ARCHITECT COLLECTION • LAMINATE SHINGLES

VANGARD 42 IR

1067 mm x 356 mm (42" x 14")	152 mm (6")	57	3.06 m ² (32.9 sq. ft.)	Standard slope: ≥ 1:3 (4/12) Low slope: ≥ 1:6 (2/12) to < 1:3 (4/12)	CSA A123.5, CSA A123.51 ASTM D3462, ASTM D3018, ASTM D7158 – Class H ASTM E108, ASTM D3161 – Class F UL 790 Fire Resistance A Meets UL 2218 Impact Resistance Class 4 Pass TAS 100 as referenced in Miami-Dade County Meets Class H as tested per UL2390	Lifetime	STANDARD Application ¹ : 180 km/h (110 mph)	HIGH WIND Application ² : 220 km/h (135 mph)
---------------------------------	----------------	----	---------------------------------------	--	---	----------	--	---

MANOIR

1029 mm x 343 mm (40 ½" x 13 ½")	146 mm (5 ¾")	60	3 m ² (32.3 sq. ft.)	Standard slope: ≥ 1:3 (4/12) Low slope: ≥ 1:6 (2/12) to < 1:3 (4/12)	CSA A123.5, CSA A123.51, CSA A123.52 ASTM D3462, ASTM D3018 ASTM D7158 – Class D ASTM E108, ASTM D3161 – Class F UL 790 Fire Resistance A Pass TAS 100 as referenced in Miami-Dade County Meets Class D as tested per UL2390	Lifetime	STANDARD Application ¹ : 180 km/h (110 mph)	HIGH WIND Application ² : 220 km/h (135 mph)
-------------------------------------	------------------	----	------------------------------------	--	--	----------	--	---

MYSTIQUE 42

1067 mm x 356 mm (42" x 14")	152 mm (6")	57	3.06 m ² (32.9 sq. ft.)	Standard slope: ≥ 1:3 (4/12) Low slope: ≥ 1:6 (2/12) to < 1:3 (4/12)	CSA A123.5, CSA A123.51, CSA A123.52 ASTM D3462, ASTM D3018, ASTM D7158 – Class H ASTM E108, ASTM D3161 – Class F Meets FM 4473 Impact Resistance Class 3 UL 790 Fire Resistance A Pass TAS 100 as referenced in Miami-Dade County Meets Class H as tested per UL2390	Lifetime	STANDARD Application ¹ : 180 km/h (110 mph)	HIGH WIND Application ² : 220 km/h (135 mph)
---------------------------------	----------------	----	---------------------------------------	--	---	----------	--	---

THE CLASSIC COLLECTION • 3-TAB SHINGLES

YUKON SB


1000 mm x 336 mm (39 ¾" x 13 ¼")	143 mm (5 ⅝")	21 <i>(per bundle)</i>	3 m ² (32.3 sq. ft.) or 9 linear m (29.6 linear ft.) if used as Hip & Ridge	Standard slope: ≥ 1:3 (4/12) Low slope: ≥ 1:6 (2/12) to < 1:3 (4/12)	CSA A123.5, CSA A123.51, CSA A123.52 ASTM D3462, ASTM D3018, ASTM D7158 – Class D ASTM D3161 – Class F UL 790 Fire Resistance A Pass TAS 100 as referenced in Miami-Dade County Meets Class D as tested per UL2390	30 years	STANDARD Application ¹ : 115 km/h (70 mph)	HIGH WIND Application ² : 130 km/h (80 mph)
-------------------------------------	------------------	---------------------------	---	--	--	----------	---	--

1. Standard Wind Warranty applies when shingles are installed using standard application. 2. High Wind Warranty applies when shingles are installed using high wind application.
* Please refer to application instructions on bpcan.com for more information.



The Weather-Tite™ Roofing System is engineered to maximize protection in rough weather. To ensure optimum effectiveness, a roof must be installed according to BP's application instructions and respect the 5 KEY STEPS OF THE WEATHER-TITE ROOFING SYSTEM:

BP'S COMPLETE WEATHER-TITE™ ROOFING SYSTEM



1

BP EAVE PROTECTORS


Considerable damage to the eaves can be caused by ice that builds up during the winter freeze/thaw cycles. **WeatherTex**™ or **Gripgard** waterproofing membrane will provide the protection you need.



2

BP UNDERLAYMENTS

High-performance **Suredeck**, **BP lined asphalt felts**, or **BP Deckgard** provide top notch secondary protection from water driven under the shingles by high winds.



3

BP STARTER STRIP SHINGLES

Cost-effective **BP Starter Strip shingles** or **cut-off classic 3-tab shingles** reduce installation time and waste by eliminating shingle scraps, and also provide excellent protection against wind and water infiltration.



4

BP SHINGLES

BP premium architectural shingles ensure maximum protection and feature our Weather-Tite™ technology with two bands of high-tack adhesive and come in a rich palette of designer colours. Our **classic 3-tab shingles** deliver proven performance, long-term durability, and a wide selection of colours.



5

BP HIP & RIDGE

Cut-off **BP Accu-Ridge** or **classic 3-tab shingles** cap your roof with peak protection while adding an attractive finished look.



Install BP products, manufactured for quality and compatibility, to get the best return on your investment as well as long-lasting peace of mind.

Weather-Tite™
ROOFING SYSTEM
WARRANTY

Exclusive to BP!

BP WEATHER-TITE™
ROOFING SYSTEM
WARRANTY

RESIDENTIAL ROOFING BUILDING¹
LAMINATED SHINGLES (Manoir, Vangard 42 IR, Mystique 42) & 3-TAB SHINGLES (Yukon SB)



	CLASSIC 3-TAB SHINGLES		LAMINATED SHINGLES	
	STANDARD LIMITED WARRANTY	WEATHER-TITE™ ROOFING SYSTEM LIMITED WARRANTY	STANDARD LIMITED WARRANTY	WEATHER-TITE™ ROOFING SYSTEM LIMITED WARRANTY
WARRANTY TERM	30 YEARS		LIMITED LIFETIME	
TOTAL PROTECTION PERIOD	UNAVAILABLE	YEAR 1 Replacement of all components of the defective area of the roof without exclusions	UNAVAILABLE	YEARS 1 AND 2 Replacement of all components of the defective area of the roof without exclusions
UP-FRONT PROTECTION PERIOD	YEARS 1 TO 5 Defective shingles and labour to install shingles only	YEARS 2 TO 10 Replacement of all components of the defective area of the roof excluding disposal	YEARS 1 TO 15 Defective shingles and labour to install shingles only	YEARS 3 TO 20 Replacement of all components of the defective area of the roof excluding disposal.
LIFETIME WARRANTY PROTECTION PERIOD	UNAVAILABLE	AFTER YEAR 10 Prorated coverage of defective shingles only	AFTER YEAR 15 Prorated coverage of defective shingles only	AFTER YEAR 20 Prorated coverage of defective shingles only
TRANSFERABILITY	1 TIME 100% - transfer within FIRST 5 YEARS Written Notification within 30 days Transfer Cost: \$100[†]	1 TIME 100% - transfer within FIRST 10 YEARS Written Notification WITHIN 60 DAYS Transfer Cost: FREE	1 TIME 100% - transfer within FIRST 10 YEARS Written Notification within 30 days Transfer Cost: \$100[†]	1 TIME 100% - transfer within FIRST 20 YEARS Written Notification WITHIN 60 DAYS Transfer Cost: FREE
WIND WARRANTY	REGULAR INSTALLATION 115 KM/H – 70 MPH HIGH WIND INSTALLATION 130 KM/H – 80 MPH		REGULAR INSTALLATION 180 KM/H – 110 MPH HIGH WIND INSTALLATION 220 KM/H – 135 MPH	
ALGAE WARRANTY	5 YEARS		10 YEARS	

Eligible Buildings: Single-family home (or row house with a physically delimited roof) provided the individual is the sole owner of the home that serves as the owner's residence.

DISCLAIMERS:

¹ For **NON RESIDENTIAL ROOFING** building, please refer to our website at bpcan.com.

[†] Amounts expressed in the region's corresponding currency.

Please visit bpcan.com to review all legal documents and requirements for the Standard Warranty (Standard Limited Warranty) and Weather-Tite™ Roofing System Limited Warranty.

BUILT-IN QUALITY

COMES WITH EVERY BP SHINGLE ENSURING SOLID PERFORMANCE

BP superior quality assurance tests ensure the highest quality products.

BP is committed to supplying contractors and property owners with highly reliable products and roofing systems. At every step of the process, from raw materials to the finished product, stringent quality assurance tests are performed to ensure that our products are of the highest quality, inside and out.

1 FIBERGLASS MAT

The best inorganic fiberglass mat, dimensionally stable, strong and non-reactive to moisture

2 COATING ASPHALT


Liquid asphalt is oxidized to our exact specifications in our own state-of-the-art facilities.

3 MINERAL GRANULES

Once the fiberglass mat is coated with the oxidized asphalt, we apply a layer of mineral with granules precisely embedded to maximize retention, thus limiting long-term asphalt deterioration from exposure to UV light.

4 SELF-ADHESIVE STRIPS AND WEATHER-TITE™ TECHNOLOGY

The processed mat is cut and the shingles are assembled with high-performance, elastomer-modified asphalt adhesive. The assembly process is evaluated continuously to ensure precision. In this phase, ultra-performing self-adhesive strips—including Weather-Tite™ technology—are added to the shingles.



WE UNDERSTAND WHAT IS EXPECTED FROM PRODUCTS THAT PROVIDE "FIRST LINE OF DEFENSE" PROTECTION AGAINST NATURE'S ELEMENTS.

By systematically testing the materials and processes according to the HIGHEST ROOFING STANDARDS, we produce consistent, quality products for the construction of solid roofing systems that better stand the test of time.

MADE IN CANADA

FOR OUR CLIMATE FOR MORE THAN 100 YEARS

Made in Canada, by Canadians, for Canadian weather.

As a leader in the building materials industry, Building Products of Canada (BP) has helped construct and renovate homes across Canada for over 100 years. BP has built on a foundation of integrity, trust, and shared goals that has nurtured relationships and partnerships, often for decades.

LOWER ENVIRONMENTAL IMPACT

Dedicated to reducing its environmental footprint, BP sources its materials locally, minimizing transportation-related green house gas emissions.

QUALITY LOCAL MATERIALS

Committed to consumers, BP shingles are produced with locally-sourced, high-grade materials locally in Quebec and Alberta and distributed across Canada.

WARRANTIES DESIGNED SPECIFICALLY FOR OUR CUSTOMERS

Since our products are made here, close to home, honouring our warranties is easier. Unlike our competitors, BP has a Canadian-based, in-house warranty department. We are focused on serving and supporting you, from one Canadian to another.

LOCAL WORKFORCE

Whether you are a homeowner, professional builder, or architect, when you choose BP you are supporting our homegrown workforce that produces materials specifically for our Canadian climate. BP offers you more than a guarantee of long-term quality and reliable protection—we promise you uncompromising peace of mind.

ALBERTA
Roofing Plant

QUEBEC
Roofing Plant





BUILDING PRODUCTS OF CANADA CORP.

FOR OVER 100 YEARS



PROUDLY MADE IN CANADA

By Choice!

9510 St. Patrick St., LaSalle, Quebec, Canada H8R 1R9
3703 – 101 Avenue N.W., P.O. Box 576, Edmonton, Alberta, Canada T5J 2K8

BPCAN.COM



Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos. It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

PRINTED IN CANADA / GBL-WEST / 02-2018